

Adaptateur réseau USB-C vers RJ45 Gigabit Ethernet - M/F - USB 3.1 Gen 1 (5 Gb/s)

StarTech ID: US1GC30B



Now, you can easily connect to a Gigabit network through the USB -C™ port on your laptop or desktop computer. This Gigabit Ethernet (GbE) network adapter provides a reliable network connection without even having to install drivers. It's ready to go - with native driver support to ensure a quick setup.

Powerful Gigabit network connections

The USB Type-C™ network adapter supports full Gigabit bandwidth by harnessing the performance of USB 3.1 Gen 1 (5 Gbps). You can access very large files over the network at Gigabit speeds.

Native driver support makes installation easy

Get up and running quickly. Simply plug the adapter into the USB-C port on your laptop and connect to your network. The network adapter chipset provides native driver support in Chrome OS™, Mac OS 10.10, Windows® 8.1.

Trouble-free connections through USB-Type-C

The USB Type-C connector is smaller and easier to use than previous USB connectors. It's a reversible plug so you can connect to your devices with either side facing up. You can insert the cable the right way every time - without frustration or the risk of port damage.

Compact and lightweight for perfect portability

Compact and portable, this USB Gigabit network adapter is the ideal desktop network adapter or laptop accessory. It's powered directly from the USB port making it easy to connect when you're on the go.

The US1GC30B is backed by a StarTech.com 2-year warranty and free lifetime technical support.

Spécifications techniques

- Add a Gigabit Ethernet network connection to your computer through the latest USB 3.1 Gen 1 (5 Gbps) technology and USB Type-C port
- Works with the newest MacBook, Chromebook Pixel™ and other laptop and desktop computers with a USB-C port
- Native driver support in Chrome OS™, Mac OS 10.10, Windows® 8.1 for easy set-up
- Alimentation directe par le port USB
- Design compact, léger pour une portabilité maximale
- Supports 10/100/1000 Mbps auto-detection
- IEEE 802.3, 802.3u and 802.3ab compatible
- Prise en charge du marquage VLAN IEEE 802.1Q
- Built-in Checksum and Large Send Offload
- Prise en charge de trames étendues jusqu'à 9 Ko
- Wake-On-LAN support
- IEEE 802.3az Energy Efficient Ethernet support

Spécifications techniques

Warranty	2 Years
ID du chipset	Realtek RTL8153
Interface	RJ45 (Gigabit Ethernet)
Nombre de ports	1
Normes de l'industrie	IEEE 802.3, 802.3u and 802.3ab
Type de bus	USB 3.1 Gen 1
MDIX auto	Oui
Prise en charge duplex complet	Oui
Réseaux compatibles	10/100/1000 Mbps
Type et débit	USB 3.1 Gen 1 - 5 Gbit/s
Vitesse max. de transfert de données	5 Gbps (USB 3.1 Gen 1)
Ports externes	1 - RJ-45 Femelle
Types de connecteur	1 - USB 3.1 USB Type-C (24 pin; Gen 1; 5 Gbps) Mâle
Compatibilité système d'exploitation	Windows® 8.1 (32/64bit), 8 (32/64), 7 (32/64), Vista(32/64), XP(32/64) Windows® Server 2012, 2008 R2, 2003(32/64) Mac OS® 10.6 - 10.10 - <i>VLAN tagging is currently not supported in Mac OS</i> Linux Kernel 2.6.25 - 3.17.0
Configurations du système et du câblage	Available USB Type-C port
Couleur	Noir
Hauteur du produit	15 mm [0.6 in]
Largeur du produit	25 mm [1 in]
Longueur du produit	210 mm [8.3 in]
Poids du produit	30 g [1.1 oz]
Type de boîtier	Plastique
Adaptateur d'alimentation inclus	Alimentation par USB
Humidité	Humidité relative de 5 % ~ 90 %
Température de fonctionnement	0°C to 70°C (32°F to 158°F)
Température de stockage	-10°C to 80°C (14°F to 176°F)
Poids brut	30 g [1.1 oz]
Inclus dans le paquet	1 - USB-C to GbE network adapter

Certifications, rapports et compatibilité

